

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	452613	R-2-(4-hydroxyphenoxy)propanoic acid.clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/04/27 11:49
L2	4644	hydroquinone.clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/04/27 11:49
L3	2995	L1 and L2	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/04/27 11:49
L4	2132337	mild reducing agent.clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/04/27 11:50
L5	1979	L3 and L4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/04/27 11:50
L6	214696	reaction.clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/04/27 11:50
L7	655	L5 and L6	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/04/27 11:50
L8	666136	process.clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/04/27 11:51
L9	334	L7 and L8	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/04/27 11:51
L10	452239	formamidine sulphinic acid.clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/04/27 11:52
L11	334	L9 and L10	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/04/27 11:52
S1	12	"4532346"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/10/13 10:59

EAST Search History

S2	8	"4625053"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/10/13 11:06
S3	14	"4505753"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/10/13 11:10
S4	237	562/471	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/10/13 11:10
S5	564	560/61	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/10/13 11:10
S6	94	S4 and S5	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/10/13 16:09
S7	24401148	R-2-(4-hydroxyphenoxy)propanoic acid or a salt.clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/10/13 16:10
S8	24400882	S-2-halopropanoic acid or a salt.clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/10/13 16:12
S9	4504	hydroquinone.clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/10/13 16:12
S10	21	quizalofop-P-ethyl.clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/10/13 16:16
S11	12	"4532346"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:15
S12	472097	hydroxy phenoxy propanoates	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:15
S13	1767535	optically active	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:16
S14	234438	S12 and S13	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:16

EAST Search History

S15	17	"352168"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:18
S16	2038964	R-2-(4-hydroxyphenoxy)propanoic acid	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:19
S17	374607	S16 and S12	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:19
S18	60479	hydroquinone	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:20
S19	34371	S17 and S18	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:20
S20	3210155	reducing agent	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:20
S21	31450	S19 and S20	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:21
S22	166	quizalofop-P-ethyl	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:26
S23	125	S12 and S22	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 10:45
S24	2	"5334744"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 08:28
S25	95	haloxyfop-P-methyl	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 10:49
S26	447	fluazifop-P-butyl	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 10:54
S27	616	clodinafop	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 10:56

EAST Search History

S28	302	cyhalofop-butyl	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 10:57
S29	60479	hydroquinone	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 10:57
S30	8	S28 and S29	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 11:24
S31	5034748	process	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 11:24
S32	3	S30 and S31	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 11:24
S33	2	"6175018"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 12:21
S34	3	"5886209"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 13:00
S35	17	"352168"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/12/15 13:01

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'CAPLUS' ENTERED AT 12:45:32 ON 27 APR 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Apr 2007 VOL 146 ISS 19

FILE LAST UPDATED: 26 Apr 2007 (20070426/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s hydroquinone

46590 HYDROQUINONE

2609 HYDROQUINONES

L1 47574 HYDROQUINONE

(HYDROQUINONE OR HYDROQUINONES)

=> s 2-halopropanoic acid

9130785 2

7 HALOPROPANOIC

4358759 ACID

1570934 ACIDS

4856038 ACID

(ACID OR ACIDS)

L2 4 2-HALOPROPANOIC ACID

(2 (W) HALOPROPANOIC (W) ACID)

=> s L1 and L2

L3 1 L1 AND L2

=> s mild reducing agent

119044 MILD

4 MILDS

119046 MILD

(MILD OR MILDS)

377670 REDUCING

3 REDUCINGS

377671 REDUCING

(REDUCING OR REDUCINGS)

840323 AGENT

1223525 AGENTS

1718821 AGENT

(AGENT OR AGENTS)

L4 229 MILD REDUCING AGENT

(MILD (W) REDUCING (W) AGENT)

=> s L3 and L4

L5 1 L3 AND L4

=> d L5 1 all

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN
AN 2005:409456 CAPLUS
DN 142:463452
ED Entered STN: 13 May 2005
TI Production process of optically pure 2-(4-hydroxyphenoxy)propionic acid
IN Cleugh, Ernest Stephen
PA Syngenta Limited, UK
SO PCT Int. Appl., 10 pp.
CODEN: PIXXD2
DT Patent
LA English
IC ICM C07C051-367
ICS C07D213-64; C07C059-68
CC 25-17 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)
Section cross-reference(s): 5

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005042460	A1	20050512	WO 2004-GB3497	20040816
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	CA 2535039	A1	20050512	CA 2004-2535039	20040816
	EP 1670743	A1	20060621	EP 2004-768060	20040816
	EP 1670743	B1	20070214		
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK			
	CN 1852884	A	20061025	CN 2004-80026709	20040816
	BR 2004014925	A	20061107	BR 2004-14925	20040816
	AT 353868	T	20070315	AT 2004-768060	20040816
	JP 2007507478	T	20070329	JP 2006-530547	20040816
	US 2006270851	A1	20061130	US 2006-571863	20060314
PRAI	GB 2003-22917	A	20030930		
	WO 2004-GB3497	W	20040816		

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
WO 2005042460	ICM	C07C051-367
	ICS	C07D213-64; C07C059-68
	IPCI	C07C0051-367 [ICM,7]; C07C0051-347 [ICM,7,C*]; C07D0213-64 [ICS,7]; C07D0213-00 [ICS,7,C*]; C07C0059-68 [ICS,7]; C07C0059-00 [ICS,7,C*]
	IPCR	C07C0051-347 [I,C*]; C07C0051-367 [I,A]; C07D0213-00 [I,C*]; C07D0213-643 [I,A]
	ECLA	C07C051/367+59/68; C07D213/64B
CA 2535039	IPCI	C07C0051-367 [I,A]; C07C0051-347 [I,C*]; C07C0059-68 [I,A]; C07C0059-00 [I,C*]; C07D0213-64 [I,A]; C07D0213-00 [I,C*]
	IPCR	C07C0051-347 [I,C]; C07C0051-367 [I,A]; C07C0059-00 [I,C]; C07C0059-68 [I,A]; C07D0213-00 [I,C]; C07D0213-64 [I,A]; C07D0213-643 [I,A]
	ECLA	C07C051/367+59/68; C07D213/64B
EP 1670743	IPCI	C07C0051-347 [I,C]; C07C0059-00 [I,C]; C07D0213-00 [I,C]; C07C0051-367 [I,A]; C07C0059-68 [I,A];

		C07D0213-64 [I,A]
	IPCR	C07D0213-643 [I,A]
	ECLA	C07C051/367+59/68; C07D213/64B
CN 1852884	IPCI	C07C0051-367 [I,A]; C07C0051-347 [I,C*]; C07D0213-64 [I,A]; C07D0213-00 [I,C*]; C07C0059-68 [I,A]; C07C0059-00 [I,C*]
BR 2004014925	IPCI	C07C0051-367 [ICS,7]; C07C0051-347 [ICS,7,C*]; C07C0059-68 [ICS,7]; C07C0059-00 [ICS,7,C*]; C07D0213-64 [ICS,7]; C07D0213-00 [ICS,7,C*]
	IPCR	C07C0051-347 [I,C*]; C07D0213-00 [I,C*]; C07C0051-367 [I,A]; C07D0213-643 [I,A]
	ECLA	C07C051/367+59/68; C07D213/64B
AT 353868	IPCI	C07C0051-367 [ICS,7]; C07C0051-347 [ICS,7,C*]; C07C0059-68 [ICS,7]; C07C0059-00 [ICS,7,C*]; C07D0213-64 [ICS,7]; C07D0213-00 [ICS,7,C*]
	IPCR	C07C0051-347 [I,C*]; C07D0213-00 [I,C*]; C07C0051-367 [I,A]; C07D0213-643 [I,A]
JP 2007507478	IPCI	C07C0051-367 [I,A]; C07C0051-347 [I,C*]; C07C0059-13 [I,A]; C07C0059-00 [I,C*]; C07B0053-00 [N,A]; C07B0061-00 [N,A]
	FTERM	4H006/AA02; 4H006/AC43; 4H006/AC81; 4H006/BA02; 4H006/BA35; 4H006/BA36; 4H006/BA50; 4H006/BA61; 4H006/BJ50; 4H006/BN30; 4H006/BP30; 4H006/BS10; 4H039/CA61; 4H039/CD10; 4H039/CD20
US 2006270851	IPCI	C07D0241-36 [I,A]; C07D0241-00 [I,C*]; C07D0263-52 [I,A]; C07D0263-00 [I,C*]; C07D0213-78 [I,A]; C07D0213-00 [I,C*]; C07C0069-76 [I,A]; C07C0069-00 [I,C*]
	NCL	544/353.000; 562/471.000; 560/061.000; 546/153.000; 546/302.000; 548/217.000
	ECLA	C07C051/367+59/68; C07D213/64B

OS CASREACT 142:463452

AB A process for producing optically pure (R)-2-(4-hydroxyphenoxy)propanoic acid (I) or a salt or ester thereof comprises reaction of hydroquinone or a salt thereof with a (S)-2-halopropanoic acid or a salt thereof in the presence of a mild reducing agent. This process prevents over-alkylation which gives bis(1-carboxyethoxy)benzene, and oxidation of hydroquinone which results in highly colored byproducts. The compound I is useful as an intermediate in making herbicidal products (e.g. quizalofop-P-Et and haloxyfop-P-methyl) in industrial scale. Thus, hydroquinone (574 g, 5.22 mol) was charged to a reaction flask followed by sodium bisulfite (5.74 g) and water (1,014 g). The mixture was stirred under N and heated to 50° and 47% sodium hydroxide solution (799.5 g, 9.39 mol) was added. The solution was heated to 65° and an aqueous solution of (S)-2-chloropropanoic acid sodium salt (544.4 g, 32.5% as the free acid, 1.63 mol) was added. The reaction mixture was held at 65° for 4 h to give the total reaction mass (2937.6 g) with I content of 8.60 %, equivalent to 252.5 g product or 85% yield. H₂O (700 g) was added and the temperature adjusted to below 45°. H₃PO₄ (120 g) was added to adjust the pH to about 11 and then 98% sulfuric acid (250 g) was added to reduce the pH to 6.5-7.5, the temperature being controlled at 55° during these addns. The solution was then extracted with Me iso-Bu ketone to give a solution of hydroquinone in MiBK for use in the next cycle. The aqueous phase was then acidified to pH 2±0.2 using 98% H₂SO₄ and extracted with MiBK to give a solution of I which was washed with a solution of 155.5 g KOH and 2.15 g sodium bisulfite in 280 g H₂O. The aqueous solution was acidified to pH 1 with 32% HCl, cooled to 20°, and filtered to give, after washing the solid with water, 62% I.

ST hydroxyphenoxypropionic acid prepn intermediate herbicide;
hydroquinone halopropanoic acid etherification

IT Etherification
Herbicides
Reducing agents

(preparation of optically pure 2-(4-hydroxyphenoxy)propionic acid as herbicide intermediate by etherification of hydroquinone with (S)-2-halopropanoic acid in presence of mild reducing agent)

IT Phosphites

Sulfinic acids

RL: RGT (Reagent); RACT (Reactant or reagent)

(preparation of optically pure 2-(4-hydroxyphenoxy)propionic acid as herbicide intermediate by etherification of hydroquinone with (S)-2-halopropanoic acid in presence of mild reducing agent)

IT 71283-80-2P 72619-32-0P, Haloxyfop-P-methyl 79241-46-6P 100646-51-3P
114420-56-3P, Clodinafop 122008-85-9P, Cyhalofop-butyl

RL: AGR (Agricultural use); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of optically pure 2-(4-hydroxyphenoxy)propionic acid as herbicide intermediate by etherification of hydroquinone with (S)-2-halopropanoic acid in presence of mild reducing agent)

IT 94050-90-5P, (R)-2-(4-Hydroxyphenoxy)propanoic acid

RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)

(preparation of optically pure 2-(4-hydroxyphenoxy)propionic acid as herbicide intermediate by etherification of hydroquinone with (S)-2-halopropanoic acid in presence of mild reducing agent)

IT 123-31-9, Hydroquinone, reactions 29617-66-1,
(S)-2-Chloropropanoic acid 74533-11-2, (S)-2-Chloropropanoic acid sodium salt

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of optically pure 2-(4-hydroxyphenoxy)propionic acid as herbicide intermediate by etherification of hydroquinone with (S)-2-halopropanoic acid in presence of mild reducing agent)

IT 50-81-7, L-Ascorbic acid, reactions 302-01-2, Hydrazine, reactions
7446-09-5, Sulfur dioxide, reactions 7631-90-5, Sodium bisulfite
14265-45-3, Sulfite 14265-45-3D, Sulfite, alkali metal 14844-07-6,
Hydrosulfite 15181-46-1, Bisulfite 15181-46-1D, Bisulfite, Alkali
metal 23134-05-6, Metabisulfite 62607-44-7, Sulfenic acid

RL: RGT (Reagent); RACT (Reactant or reagent)

(preparation of optically pure 2-(4-hydroxyphenoxy)propionic acid as herbicide intermediate by etherification of hydroquinone with (S)-2-halopropanoic acid in presence of mild reducing agent)

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Anon; ELECTRONIC PESTICIDE MANUAL 1999, P1
- (2) Fujinawa, S; US 4625053 A 1986 CAPLUS
- (3) Manuf de Prod Chim Purs; FR 763374 A 1934 CAPLUS
- (4) Rehn, K; US 4532346 A 1985 CAPLUS
- (5) Schurter, R; US 4505743 A 1985 CAPLUS

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y